## Report of investigation



Phalaenopsis Floricultura: 8090-02

Test number: 479 Grower: Floricultura

Administration number: 065889 Variety: Phalaenopsis 352490

Product code: 112897

Description: 8090 Phalaenopsis veredelaars, bij 50% uitbloei

Start date: 26-08-2021

#### Method of investigation

We submitted the investigated flowers to a sales simulation, according to the conditions mentioned in the appendix. In the consumer phase we evaluated the stems three times a week. The evaluation criteria are based on the evaluation card for the specific product (<a href="www.vbn.nl">www.vbn.nl</a>). When the ornamental value is insufficient we consider vase life as ended. With these data the average vase life has been calculated. The average vase life expresses the number of days that the flowers have good ornamental value for the consumer. So transport and store phase are excluded.

#### **Results**

Number of stems/vase:

Number of vases: 3

Land of origin: Netherlands

Average longevity	119,0
Total number of rejected stems on foliage	e 0
Standard deviation	0,0
Percentage reached at day 56	100 %
Main rejection criteria	animal parasites
Ornamental value foliage	4,2
number of good Flowers	14,0
number of stems	2,0
number of buds	2,2
Black heart	0,0

# Rejection criteria Number animal parasites 2

6-1 Plant 2 en 3 afgeschreven op wolluis.

Plants are rejected at X number of good flower and buds:

plant 1: 8 plant 2: 9 plant 3: 8 Linda van Leeuwen

T +31 (0)174-63 4058

F

lindavanleeuwen@royalfloraholland.com

Date: 11-01-2022



MPS-ECAS The quality management system of the Postharvest Knowledge Centre is ISO 9001:2015 certified.



479. Consumer simulation day number 0



479. Consumer simulation day number 35



479. Consumer simulation day number 70



479. Consumer simulation day number 77



479. Consumer simulation day number 84

project number 479



479. Consumer simulation day number 91



479. Consumer simulation day number 98



479. Consumer simulation day number 105

project number 479



479. Consumer simulation day number 112



479. Consumer simulation day number 119



479. Consumer simulation day number 119

project number 479

## **Appendix**

### **Conditions Transport simulation**

Duration (days) 7

Packaging tray, sleeve Temperature  $15^{\circ}\text{C} \pm 1^{\circ}\text{C}$  Relative humidity  $75 \pm 10\%$  Light level  $\pm 0 \, \mu\text{mol s-1m-2}$ 

Light level  $\pm$  0 µmc light colour n.a

Air refreshment every 2 hours
Air speed < 0,5 m/s
Ethylene concentration < 0,1 ppm
Water supply none

## **Conditions Store simulation**

Duration (days) 7

Packaging tray, sleeve Temperature  $20^{\circ}\text{C} \pm 1^{\circ}\text{C}$  Relative humidity  $60 \pm 10^{\circ}$ 

Light level  $\pm$  13,5 µmol s-1m-2

Light colour 840

Air refreshment every 2 hours
Air speed < 0,5 m/s
Ethylene concentration < 0,1 ppm
Water supply if necessary

#### **Conditions Consumer simulation**

Duration (days) 119 Packaging -

Temperature  $20^{\circ}\text{C} \pm 1^{\circ}\text{C}$ Relative humidity  $60 \pm 10\%$ 

Light level  $\pm$  13,5  $\mu$ mol s-1m-2

Light colour 840

Air refreshment every 2 hours
Air speed < 0,5 m/s
Ethylene concentration < 0,1 ppm
Water supply if needed

Note: 13,5 µmol.m-2s-1 is the same as 1000 lux (on table level)

## Key to symbols

Kind of observation: Ornamental value foliage

excellent, product without defects, 0% affected
 good, product with minor quality critism 0-5% affected
 satisfactory, product is still suitable for sale, 5-15% affected
 moderate, product is not suitable for sale, 15-25% affected
 poor, product which a consumer will discard, >25% affected