

Report of investigation



Phalaenopsis Floricultura: 8090-02
Test number: 400
Grower: Floricultura
Administration number: 065889
Variety: Phalaenops 364765
Product code: 112897

Description: 8090 Phalaenopsis veredelaars, bij 50% uitbloei

Start date: 26-10-2020

Method of investigation

We submitted the investigated flowers to a sales simulation, according to the conditions mentioned in the appendix. In the consumer phase we evaluated the stems three times a week. The evaluation criteria are based on the evaluation card for the specific product (www.vbn.nl). When the ornamental value is insufficient we consider vase life as ended. With these data the average vase life has been calculated. The average vase life expresses the number of days that the flowers have good ornamental value for the consumer. So transport and store phase are excluded.

Results

Number of stems/vase: 0

Number of vases: 3

Land of origin: Netherlands

Average longevity	134.0
Total number of rejected stems on foliage	0
Standard deviation	0.0
Percentage reached at day 56	100 %
Main rejection criteria	end of flowering
number of rejected buds	0.0
number of buds	0.0
number of stems	2.7
Black heart	0.0
Ornamental value foliage	4.3
number of good Flowers	11.3
number of flowers that have ended flowering	0.0

Rejection criteria	Number
end of flowering	2

Planten worden afgeschreven bij x aantal bloemen en knoppen:

plant 1: 11

plant 2: 9

plant 3: 11

Linda van Leeuwen

T +31 (0)174-63 4058

F

lindavanleeuwen@royalfloraholland.com

Date: 17-1-2024



The quality management system of the Postharvest Knowledge Centre is ISO 9001:2015 certified.



400. Consumer simulation day number 0



400. Consumer simulation day number 35



400. Consumer simulation day number 70



400. Consumer simulation day number 78



400. Consumer simulation day number 85



400. Consumer simulation day number 92



400. Consumer simulation day number 99



400. Consumer simulation day number 106



400. Consumer simulation day number 113



400. Consumer simulation day number 120



400. Consumer simulation day number 127



400. Consumer simulation day number 134

Appendix

Conditions Transport simulation

Duration (days)	7
Packaging	tray, sleeve
Temperature	15°C ± 1°C
Relative humidity	75 ± 10%
Light level	0 lux
Light colour	n.a
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	none

Conditions Store simulation

Duration (days)	6
Packaging	tray, sleeve
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	if necessary

Conditions Consumer simulation

Duration (days)	134
Packaging	-
Temperature	20°C ± 1°C
Relative humidity	60 ± 10%
Light level	± 1000 lux
Light colour	840
Air refreshment	every 2 hours
Air speed	< 0,5 m/s
Ethylene concentration	< 0,05 ppm
Water supply	if needed

Key to symbols

Kind of observation: Ornamental value foliage

5	excellent, product without defects, 0% affected
4	good, product with minor quality criticism 0-5% affected
3	satisfactory, product is still suitable for sale, 5-15% affected
2	moderate, product is not suitable for sale, 15-25% affected
1	poor, product which a consumer will discard, >25% affected